


Flexibox dampers

Quick setup guide







Rev. 1.0

Dantherm[®]
CONTROL YOUR CLIMATE






Damper 400/450	No. 299935 - 299937 - 299931 - 299945 - 299653
Hood 400/450	No. 299653 - 299942 - 299941 - 299947

	<p>1x</p>
	<p>1x</p>
	<p>1x</p>
	<p>8-16x</p>
	<p>1x ø3 mm</p> <p>screw pre drilling</p>
	<p>1x</p>


	 <p>Short, kurz bref, corto</p> <p>400mm</p> <p>400mm</p>
	 <p>Short, kurz bref, corto</p> <p>800 mm</p> <p>210mm</p>
	 <p>Short, kurz bref, corto</p> <p>1000mm</p> <p>210mm</p>
	 <p>Short, kurz bref, corto</p> <p>800 mm</p> <p>180mm</p>


299935
299937
299931
299945
299653




299935
299937
299931
299653


QSG







Notes:



Dantherm can accept no responsibility for possible errors and changes – Irrtümer und Änderungen vorbehalten – Dantherm n'assume aucune responsabilité pour erreurs et modifications éventuelles – Dantherm se exime de cualquier responsabilidad por errores y cambios realizados.



072344

Dantherm A/S
Marienlystvej 65
7800 Skive
Danmark
www.dantherm.com
service@dantherm.com

Dantherm®
CONTROL YOUR CLIMATE